

U. S. PLANT PATENT APPLICATION OF

FRANK HAMMOND

FOR: GAURA PLANT NAMED

‘PERKY PINK’

HAMMOND, Frank

TITLE: GAURA PLANT NAMED 'PERKY PINK'

APPLICANT: FRANK HAMMOND

BOTANICAL CLASSIFICATION/CULTIVAR DESIGNATION:

Gaura lindheimeri cultivar Perky Pink

5

BACKGROUND OF THE INVENTION

The present Invention relates to a new and distinct cultivar of Guara plant, botanically known as *Gaura lindheimeri*, and hereinafter referred to by the cultivar name Perky Pink.

10

The new Guara is a product of a planned breeding program conducted by the Inventor in Narre Warren East, Victoria, Australia. The objective of the breeding program is to create new compact Guaras with numerous flowers and attractive flower coloration.

15

The new Guara originated from a open-pollination made by the Inventor in 1999 of the *Gaura lindheimeri* cultivar Siskiyou Pink, not patented, as the female, or seed, parent with an unknown selection of *Gaura lindheimeri*, not patented, as the male, or pollen, parent. The new

HAMMOND, Frank

Guara was selected as a single plant from the resulting progeny of the open-pollination by the Inventor in 2000 in an controlled environment in Narre Warren East, Victoria, Australia.

5 Asexual reproduction of the new cultivar by terminal cuttings in a controlled environment in Narre Warren East, Victoria, Australia since October, 2000, has shown that the unique features of this new Guara are stable and reproduced true to type in successive generations.

SUMMARY OF THE INVENTION

10 Plants of the cultivar Perky Pink have not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment such as temperature and light intensity without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of 'Perky Pink'. These
15 characteristics in combination distinguish 'Perky Pink' as a new and distinct cultivar of Guara:

1. Compact and outwardly spreading plant habit.

HAMMOND, Frank

2. Freely branching growth habit.
3. Freely flowering habit.
4. Light pink-colored flowers.

Plants of the new Guara can be compared to plants of the female
5 parent, the cultivar Siskiyou Pink. In side-by-side comparisons conducted
in Narre Warren East, Victoria, Australia, plants of the new Guara
differed from plants of the cultivar Siskiyou Pink in the following
characteristics:

1. Plants of the new Gaura were more compact and bushier
10 than plants of the cultivar Siskiyou Pink.
2. Plants of the new Gaura had darker colored foliage than
plants of the cultivar Siskiyou Pink.
3. Plants of the new Gaura and the cultivar Siskiyou Pink
differed in flower color as plants of the cultivar Siskiyou
15 Pink had red and white-colored flowers.

Plants of the new Guara can also be compared to plants of other
nonpatented selections of *Gaura lindheimeri* known to the Inventor. In

HAMMOND, Frank

side-by-side comparisons conducted in Narre Warren East, Victoria, Australia, plants of the new Guara differed from plants of other known selections of *Gaura lindheimeri* known to the Inventor in the following characteristics:

- 5 1. Plants of the new Gaura were more compact and bushier than plants of other known selections of *Gaura lindheimeri* known to the Inventor.
2. Plants of the new Gaura had darker colored foliage than plants of other known selections of *Gaura lindheimeri*
10 known to the Inventor.
3. Plants of the new Gaura and other known selections of *Gaura lindheimeri* known to the Inventor differed in flower color as plants of other known selections of *Gaura lindheimeri* known to the Inventor had white-colored
15 flowers.

HAMMOND, Frank

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the overall appearance of the new cultivar, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type.

- 5 Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new Guara.

The photograph at the top of the sheet comprises a side perspective view of a typical flowering plant of 'Perky Pink' grown in a container.

- 10 The photograph at the bottom of the sheet comprises a close-up view of typical flowers of 'Perky Pink'.

DETAILED BOTANICAL DESCRIPTION

The aforementioned photographs and following observations and measurements describe plants grown in Bonsall, California, under full sun conditions in an outdoor nursery during the spring and summer with day temperatures ranging from 18 to 35°C and night temperatures ranging from 10 to 18°C. Three plants were grown in 15-cm container and had

HAMMOND, Frank

been growing for about six weeks when the photographs and description were taken.

Color references are made to the Royal Horticultural Society Colour Chart, 1995 Edition, except where general terms of ordinary dictionary significance are used.

BOTANICAL CLASSIFICATION:

Gaura lindheimeri cultivar Perky Pink.

PARENTAGE:

Female parent: *Gaura lindheimeri* cultivar Siskiyou Pink, not patented.

Male parent: Unknown selection of *Gaura lindheimeri*, not patented.

PROPAGATION:

Type cutting: Vegetative cuttings.

Time to initiate roots: About one to three weeks.

Time to produce a rooted young plant: About four to five weeks.

Root description: Fine, fibrous; white in color.

HAMMOND, Frank

PLANT DESCRIPTION:

- Form: Compact and outwardly spreading plant habit. Freely branching growth habit with about seven or eight lateral branches per plant. Moderately vigorous growth habit.
- 5 Plant height, soil level to top of foliar plane: About 10 to 12 cm.
- Plant height, soil level to top of inflorescences: About 56cm.
- Plant diameter, single plant: About 12 cm.
- Lateral branches:
- Length: About 11 cm.
- 10 Diameter: About 2.5 mm.
- Internode length: About 1.2 to 1.5 cm.
- Strength: Strong.
- Texture: Fine pubescence.
- Color: 144A.
- 15 Foliage description:
- Arrangement: Alternate; simple.
- Length: About 6 cm.

HAMMOND, Frank

Width: About 1.3 cm.

Shape: Linear to narrowly elliptic.

Apex: Acuminate.

Base: Attenuate.

5 Margin: Entire.

Texture, upper and lower surfaces: Slightly rough, grainy; glandular; upper surface, glabrous; lower surface, slightly pubescent.

Venation pattern: Pinnate; arcuate.

10 Color:

Developing and fully expanded foliage, upper surface: 147A.

Developing and fully expanded foliage, lower surface: 147B.

15 Venation, upper and lower surfaces: 147B.

Petiole length: About 4 mm.

Petiole diameter: About 2 mm.

HAMMOND, Frank

Petiole texture, upper and lower surfaces: Smooth, glabrous.

Petiole color, upper and lower surfaces: 144A.

FLOWER DESCRIPTION:

5 Flower type and habit: Solitary slightly zygomorphic flowers
arranged on elongated terminal and axillary panicles. Flowers not
persistent. Flowers face mostly outwardly about 45° from vertical.
Flowers sessile.

Quantity: Freely flowering; terminal panicles with typically about
30 to 40 flower buds and open flowers per inflorescence.

10 Natural flowering season: Long flowering period; plants typically
flower from April through October in Southern California; flowering
continuous during this period.

Flower longevity on the plant: About five to ten days.

Fragrance: Not detected.

15 Flower size:

Length: About 2.5 cm

Width: About 2.5 cm.

HAMMOND, Frank

Depth: About 3 cm.

Flower buds (showing color):

Length: About 2 cm.

Diameter: About 2 mm.

5 Shape: Slender, elongated.

Color: Towards the base, 59B; towards the apex, 146B.

Petals:

Quantity/arrangement: Four petals in a single whorl.

Length: About 1.5 cm.

10 Width: About 7 mm.

Shape: Elongated oblong; cupped; claw-like.

Apex: Broadly acute.

Margin: Entire.

Texture, upper and lower surfaces: Smooth, satiny.

15 Color:

When opening, upper surface: 65D.

HAMMOND, Frank

When opening, lower surface: Lighter than 65D;
towards the base, 65C.

Fully opened, upper and lower surfaces: Lighter than
65D.

5 Sepals:

Arrangement/appearance: Single whorl of four sepals.

Length: About 1.8 cm.

Width: About 2 mm.

Shape: Linear.; reflexed

10 Apex: Acute.

Base: Truncate.

Margin: Entire.

Texture, upper and lower surfaces: Smooth, glabrous.

Color, immature:

15 Upper surface: 64C.

Lower surface: 186B.

Color, mature, upper and lower surfaces: 186B.

HAMMOND, Frank

Peduncles:

Length: About 56 cm.

Width: About 6.25 cm.

5 Angle: Upright to outwardly spreading; axillary peduncles,
about 45° from vertical.

Strength: Moderately strong.

Texture: Smooth, glabrous.

Color: 144A.

Reproductive organs:

10 Stamens:

Quantity per flower: Eight.

Anther shape: Linear.

Anther size: About 1 mm by 4 mm.

Anther color: 59A.

15 Pollen amount: Scarce.

Pollen color: 145C.

HAMMOND, Frank

Pistils:

Quantity per flower: One.

Pistil length: About 3.5 cm.

Style length: About 1.8 mm.

5 Style color: 155D; towards the apex, 62B.

Stigma shape: Knobbed.

Stigma color: 144C.

Ovary color: 144A overlain with 59A.

Fruit/seed: Fruit and seed production has not been observed.

10 DISEASE/PEST RESISTANCE:

Plants of the new Guara have not been noted to be resistant to
pathogens or pests common to Guara.

TEMPERATURE TOLERANCE:

15 Plants of the new Guara have been observed to tolerate
temperatures from -4 to 38°C.